

Vol III Issue VII Jan 2014

Impact Factor : 1. 9508(UIF)

ISSN No :2231-5063

# International Multidisciplinary Research Journal

## *Golden Research Thoughts*

Chief Editor  
Dr.Tukaram Narayan Shinde

Publisher  
Mrs.Laxmi Ashok Yakkaldevi

Associate Editor  
Dr.Rajani Dalvi

Honorary  
Mr.Ashok Yakkaldevi

**IMPACT FACTOR : 1. 9508(UIF)**

**Welcome to GRT**

**RNI MAHMUL/2011/38595**

**ISSN No.2231-5063**

Golden Research Thoughts Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial board. Readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

***International Advisory Board***

Flávio de São Pedro Filho Federal University of Rondonia, Brazil	Mohammad Hailat Dept. of Mathematical Sciences, University of South Carolina Aiken	Hasan Baktir English Language and Literature Department, Kayseri
Kamani Perera Regional Center For Strategic Studies, Sri Lanka	Abdullah Sabbagh Engineering Studies, Sydney	Ghayoor Abbas Chotana Dept of Chemistry, Lahore University of Management Sciences[PK]
Janaki Sinnasamy Librarian, University of Malaya	Catalina Neculai University of Coventry, UK	Anna Maria Constantinovici AL. I. Cuza University, Romania
Romona Mihaila Spiru Haret University, Romania	Ecaterina Patrascu Spiru Haret University, Bucharest	Horia Patrascu Spiru Haret University, Bucharest,Romania
Delia Serbescu Spiru Haret University, Bucharest, Romania	Loredana Bosca Spiru Haret University, Romania	Ilie Pinteau, Spiru Haret University, Romania
Anurag Misra DBS College, Kanpur	Fabricio Moraes de Almeida Federal University of Rondonia, Brazil	Xiaohua Yang PhD, USA
Titus PopPhD, Partium Christian University, Oradea,Romania	George - Calin SERITAN Faculty of Philosophy and Socio-Political Sciences AL. I. Cuza University, Iasi	.....More

***Editorial Board***

Pratap Vyamktrao Naikwade ASP College Devrukh,Ratnagiri,MS India	Iresh Swami Ex - VC. Solapur University, Solapur	Rajendra Shendge Director, B.C.U.D. Solapur University, Solapur
R. R. Patil Head Geology Department Solapur University,Solapur	N.S. Dhaygude Ex. Prin. Dayanand College, Solapur	R. R. Yaliker Director Managment Institute, Solapur
Rama Bhosale Prin. and Jt. Director Higher Education, Panvel	Narendra Kadu Jt. Director Higher Education, Pune	Umesh Rajderkar Head Humanities & Social Science YCMOU,Nashik
Salve R. N. Department of Sociology, Shivaji University,Kolhapur	K. M. Bhandarkar Praful Patel College of Education, Gondia	S. R. Pandya Head Education Dept. Mumbai University, Mumbai
Govind P. Shinde Bharati Vidyapeeth School of Distance Education Center, Navi Mumbai	Sonal Singh Vikram University, Ujjain	Alka Darshan Shrivastava Shaskiya Snatkottar Mahavidyalaya, Dhar
Chakane Sanjay Dnyaneshwar Arts, Science & Commerce College, Indapur, Pune	G. P. Patankar S. D. M. Degree College, Honavar, Karnataka	Rahul Shriram Sudke Devi Ahilya Vishwavidyalaya, Indore
Awadhesh Kumar Shirotriya Secretary,Play India Play,Meerut(U.P.)	Maj. S. Bakhtiar Choudhary Director,Hyderabad AP India.	S.KANNAN Annamalai University,TN
	S.Parvathi Devi Ph.D.-University of Allahabad	Satish Kumar Kalhotra Maulana Azad National Urdu University
	Sonal Singh, Vikram University, Ujjain	

**Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India  
Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.aygrt.isrj.net**



**GRT** “STUDY OF PHYSICO CHEMICAL PARAMETARS AND METALS DETERMINED BY DIFFERENT ANALYSIS METHODS FROM CHEMICAL DIVISION IN SANJIVANI SAHAKARI SAKHAR KARKHANA LIMITED, SAHAJANANDNAGAR, TAL – KOPARGAON (M. S.) (INDIA).”

**M. D. Sangale**

Head and Associate professor, Department of Chemistry, A.A.College, Manchar, Dist-Pune(M.S.)

**Abstract:-**In the recent past several studies have reported the water bodies becoming increasingly contaminated due to domestic and industrial wastes. The Sanjivani Sahakari Sakhar Karkhana Limited, Sahajanandnagar, Tal – Kopargaon Maharashtra State (India) having important factor in rural economy of Ahmednagar district & is situated at Sahajanandnagar of Kopargaon Taluka.

It is useful in development of many other industries such as distillery, biogas plant, acetaldehyde plant, acetic acid plant and spirit production. The area of Kopargaon has been developed by this sugar mill because of the income gained by the farmers and the rural people of the surrounding area. But its liquid effluent containing heavy as well as toxic metals and having bad odour which have posed the threat to the ecological balance of rural area around. To minimize this problem industry have started plants such as biogas plant, distillery plant etc. to make use of the polluted liquid effluent for production of biogas and alcohol beverages. This treated liquid effluent can be used as a fertilizer.

The present study deals with the physico-chemical parameters and metals such as Ca, Mg, etc. determined by different analysis methods & compare the limits with standards available for us.

**Keywords:** heavy as well as toxic metals, physico-chemical parameters, contaminated due to domestic and industrial wastes.

## INTRODUCTION

Study area which we have selected for our analysis purpose is situated to east at 1.5 km away from our educational institute.

## SAMPLING SITES AND COLLECTION

The sampling site which we have selected is Biogas plant. At the site we have collected inlet spent wash which is disposal of distillery plant after production of alcohol. Other sample collected is disposal of biogas plant which is treated spent wash with DAP for production of biogas.

Random selection method is used for collection of sample. We have collected samples at three different sessions in morning, noon and evening. From these a representative composite sample of two litre volume is made for analysis purpose. Polythene bottles are used for sample collection which were thoroughly washed with distilled water. At the time of collection the bottles were rinsed with sample 3-4 times and then sample was collected. The distance between the inlet spent wash and outlet effluent is 50 meter.

## ANALYSIS OF EFFLUENT WATER:

For the analysis of inlet and outlet waste water the methods used for estimation of particular parameters are as follows.

Sr.No.	Parameters	Method
1.	Temperature	By Thermometer
2.	pH	pH meter
3.	Dissolved Oxygen (DO)	Winkler's iodometric method
4.	Chemical Oxygen Demand (COD)	Titrimetry
5.	Conductivity	Conductometry
6.	Total Solid (TS)	Gravimetry
7.	Total Dissolved Solids (TDS)	Gravimetry
8.	Total Suspended Solids (TSS)	Gravimetry
9.	Redox Potential	pH – metry
10.	Total alkalinity, carbonate Bicarbonates	Titrimetry
11.	Acidity	Titrimetry
12.	Carbon dioxide	Titrimetry
13.	Inorganic Phosphorous	Spectrophotometry
14.	Sulphate	Gravimetry
15.	Chloride	Titrimetry / Argentometry
16.	Hardness	EDTA method
17.	Calcium	EDTA method
18.	Magnesium	EDTA method
19.	Oil and Greese	Gravimetry
20.	Langelier CaCO <sub>3</sub> Saturation index	pH – metry

**Parameters:**

**Temperature result table:**

The determination of temperature of both the samples is done by similar way. The sample was collected in beaker and soon the temperature was recorded by inserting the thermometer.

Sr.no.	Sample	Temperature(°C)
1)	(S1)	38
2)	(S2)	32

**pH result table:**

Sr.no.	Sample	pH
1)	(S1)	3.05
2)	(S2)	7.43

**Chemical Oxygen Demand (COD) result table:**

**Reactions:**




Sr.no.	Sample	COD (ppm)
1)	(S1)	90,000
2)	(S2)	27,000

**Dissolved oxygen result table:**

**Winkler's iodometric method**

**Reactions:**



Sr.no.	Sample	DO (ppm)
1)	(S1)	2.0588
2)	(S2)	3.6363

**Conductivity result table:**

Sr.no.	Sample	Conductivity (mhos)
1)	(S1)	0.0128500
2)	(S2)	0.001428

**Total solids result table:**

Sr.no.	Sample	Total solids (ppm)
1)	(S1)	54,740
2)	(S2)	27,680

**Total Dissolved Solids result table:**

Sr.no.	Sample	TDS (ppm)
1)	(S1)	40,000
2)	(S2)	26,420

**Total Suspended solids result table:**


Sr.no.	Sample	TSS (ppm)
1)	(S1)	14,740
2)	(S2)	1,260

**Redox Potential result table:**

Sr.no.	Sample	Redox potential (mV)
1)	(S1)	-131
2)	(S2)	-348

**Total Alkalinity – carbonates & bicarbonates result table:**

**Reactions:**



Sr.no.	Sample	Total alkalinity (ppm)
1)	(S1)	12,712.5
2)	(S2)	22,275.0

**Acidity result table:**

**Titration method**

Sr.no.	Sample	Acidity (ppm)
1)	(S1)	6,250
2)	(S2)	1,500

**Carbon Dioxide result table:**

Sr.no.	Sample	Carbon dioxide (ppm)
1)	(S1)	6,732
2)	(S2)	0

**Inorganic Phosphorous result table:**

Sr.no.	Sample	Inorganic phosphorous (ppm)
1)	(S1)	0.520238
2)	(S2)	0.201391

**Sulphate result table:**

**Gravimetric method**


**Reaction:**



Sr.no.	Sample	Sulphate (ppm)
1)	(S1)	79.21375
2)	(S2)	87.5672

**Chloride result table:**

**Reactions:**




Sr.no.	Sample	Chloride (ppm)
1)	(S1)	4331
2)	(S2)	6674

**Hardness result table:**

**EDTA method**

**Reactions:**



Sr.no.	Sample	Hardness (ppm)
1)	(S1)	8200
2)	(S2)	6600

**Calcium result table:**

Sr.no.	Sample	Calcium (ppm)
1)	(S1)	2444.88
2)	(S2)	5771.52

**Magnesium result table:**

Sr.no.	Sample	Magnesium (ppm)
1)	(S1)	1289.1468
2)	(S2)	185.5795

**Langelier Calcium carbonate saturation index result table:**

Sr.no.	Sample	Langelier CaCO <sub>3</sub> saturation index
1)	(S1)	-1.35
2)	(S2)	-0.10

**Oil and grease result table:**

Sr.no.	Sample	Oil & grease (ppm)
1)	(S1)	30240
2)	(S2)	1000

**Physico-chemical characteristics of effluent water analysis:**

Sr. No.	Parameters	Sample first (raw spent wash) (ppm)	Sample second (Treated effluent) (ppm)
1	Dissolved Oxygen (DO)	2.0588	3.6363
2	Chemical Oxygen Demand (COD)	90,000	27,000
3	Total Solids (TS)	54,740	27,680
4	Total Dissolved Solids (TDS)	40,000	26,420
5	Total Suspended Solids (TSS)	14,740	1,260
6	Total alkalinity, carbonates & bicarbonates	12,712.5	22,275
7	Acidity	6,250	1,500
8	Carbon dioxide	6,732	0
9	Inorganic phosphorous	0.520238	0.201391
10	Sulphate	79.21375	87.5672
11	Chloride	4,331	6,674
12	Hardness	8,200	6,600
13	Calcium	2444.88	5771.52
14	Magnesium	1289.14	185.57
15	Oil and grease	30,240	1,000

**Physico-chemical characteristics of effluent water analysis:**

Sr. No.	Parameters	Sample first (raw spent wash)	Sample second (Treated effluent)
1	Temperature	38°C	32°C
2	pH	3.05	7.43
3	Conductivity	0.01285 mhos	0.001428 mhos
4	Redox potential	-131 mV	-348 mV
5	LangelierCaCO <sub>3</sub> saturation index	-1.35	-0.10



## **RESULTS & DISCUSSIONS**

### **Physico - chemical parameters**

- 1)The results related to the physico-chemical characteristic of the sugar mill distillery effluent collected at biogas plant. The inlet & outlet composite effluent samples have been listed in the given result table.
- 2)The results reveal that the pH value have increased after treatment. The acidic pH (3.05) of inlet spent wash changes, to alkaline pH (7.43) after treatment. The pH values are not in standard range (4.3- 5.3) recommended by ISI & WHO.
- 3)The concentration of dissolved oxygen in water depends on temperature, pressure and concentration of various ions. The DO level was recorded in the range of 2 to 4 ppm.
- 4)The TDS values ranges between 26000 to 4000 ppm which are in the recommended standard range. The term total hardness indicates the concentration of Ca & Mg only. It is express in terms of calcium carbonates. Total hardness varies from 6500 to 8500 ppm.
- 5)Carbon dioxide, inorganic phosphorous, oil and grease these parameters have been decreased from untreated to treated effluent.
- 6). The electrical conductivity is very low & is 0.01285 mhos for untreated effluent which decrease to 0.01168 mhos for treated effluent after biogas formation.

### **CONCLUSION**

- 1)The pH values of effluents are higher than standard limits probably due to the presence of chemicals formed by degradation of sugar itself.
- 2)High DO concentration is undesirable as it accelerate the corrosion at high temperature and pressure.
- 3) The lower range of conductivity value indicates that effluent water has less content of inorganic acids, bases and salts which are good conductor.
- 4) Sudden rise in conductivity in water indicates addition of some Pollutants.
- 5) Water having conductivity more than 20 mmhos have not been suitable for irrigation as the samples which we have analysed have the conductivity between 11-13 mmhos is therefore suitable for irrigation purpose.
- 6) Lower values of redox potential indicates more & more reduction processes while rise in it will denote more oxidation processes. Redox potential related to pH –when there is decrease in 1 unit of pH, there is decrease in 0.058 V of redox potential.
- 7) Langelier calcium carbonate saturation index results include that both the effluents cause significant corrosion.

### **ACKNOWLEDGEMENTS:**

We express our gratitude to UGC(WRO) Pune and BCUD University of pune, who have financially supported through research projects for their kind help.

### **REFERENCES**

- 1)Chemical and biological methods for water pollution studies by Trivedy R.K. and Goel P.R.
- 2)Standard methods of water and waste water analysis by A.K. De.
- 3)Journal of Environmental Science and Engineering , Jan 2007 , volume 49 No. 1. Published by - National Environmental Engineering Research Institute Nagpur 440020 INDIA.
- 4)Elements of Environmental Chemistry by H.V.Jadhav. Himalaya Publishing House
- 5)Aqua Milieu Pty Ltd. Trading as Enviroflow, Enviroflow Biofilter Wastewater Treatment Plant Brochure.
- 6) Del Porto D., SPC Workshop on The Soltran II Non Polluting Biological Toilet and Wastewater garden, Suva, Fiji, 25 November 1996.
- 7) Enviro-Technology Inc., 1998. Cromaglass Wastewater Treatment Systems
- 8)Environment Equipment Pty Ltd. Rota-Loo Composting Toilet Brochure.
- 9)Environment Equipment Pty Ltd. Biolet Composting Toilet Brochure.
- 10) Gough I., Langford M., and Gough A. 1999. The Hybrid Toilet System: General Principles & System Design Drivers. Published by Lanfax Laboratories, Armidale NSW.
- 11) Gough Plastics Australia, The Hybrid Toilet System Brochure.
- 12) Khan, A.R. 1995. Appropriate Wastewater Treatment Processes for N-WFP, Pakistan, Master of Science Research of Loughborough University of Technology.
- 13) Loetscher T., 1998. SANEX Sanitation Expert Systems
- 14) Ludwig, S. 1998. DEWATS Decentralised Wastewater Treatment in Developing Countries, Bremen Overseas Research and development Association, Bremen.
- 15) Mann, H.T., Williamson, D., 1982. Water Treatment and Sanitation, Intermediate Technology Publications 1973, 1979, 1982., Printed in England by The Russell Press Ltd., Nottingham.

- 16) Mara, D. Sewage Treatment in Hot Climates, A Wiley Interscience Publication, John Wiley  
17) Neptune Pacific Ltd., On-site and Small Community Sewage Management with the N-DN Biofilter Treatment Plant  
18) Pickford, J., 1991. The Worth of Water. Technical Briefs on health, water and sanitation. Intermediate Technology Publications 1991. 103-105 Southampton Row, London, Printed by Russell Press Ltd., Nottingham.



**M. D. Sangale**

Head and Associate professor, Department of Chemistry, A.A.College, Manchar, Dist-Pune(M.S.)

# Publish Research Article International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication, you will be pleased to know that our journals are

## Associated and Indexed, India

- \* International Scientific Journal Consortium
- \* OPEN J-GATE

## Associated and Indexed, USA

- EBSCO
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Database
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database
- Directory Of Research Journal Indexing

Golden Research Thoughts  
258/34 Raviwar Peth Solapur-413005, Maharashtra  
Contact-9595359435  
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com  
Website : www.aygrt.isrj.net