

Vol 4 Issue 3 Sept 2014

ISSN No :2231-5063

International Multidisciplinary
Research Journal

Golden Research
Thoughts

Chief Editor
Dr.Tukaram Narayan Shinde

Publisher
Mrs.Laxmi Ashok Yakkaldevi

Associate Editor
Dr.Rajani Dalvi

Honorary
Mr.Ashok Yakkaldevi

Welcome to GRT

RNI MAHMUL/2011/38595

ISSN No.2231-5063

Golden Research Thoughts Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial board. Readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

International Advisory Board

Flávio de São Pedro Filho Federal University of Rondonia, Brazil	Mohammad Hailat Dept. of Mathematical Sciences, University of South Carolina Aiken	Hasan Baktir English Language and Literature Department, Kayseri
Kamani Perera Regional Center For Strategic Studies, Sri Lanka	Abdullah Sabbagh Engineering Studies, Sydney	Ghayoor Abbas Chotana Dept of Chemistry, Lahore University of Management Sciences[PK]
Janaki Sinnasamy Librarian, University of Malaya	Ecaterina Patrascu Spiru Haret University, Bucharest	Anna Maria Constantinovici AL. I. Cuza University, Romania
Romona Mihaila Spiru Haret University, Romania	Loredana Bosca Spiru Haret University, Romania	Ilie Pinteau, Spiru Haret University, Romania
Delia Serbescu Spiru Haret University, Bucharest, Romania	Fabricio Moraes de Almeida Federal University of Rondonia, Brazil	Xiaohua Yang PhD, USA
Anurag Misra DBS College, Kanpur	George - Calin SERITAN Faculty of Philosophy and Socio-Political Sciences AL. I. Cuza University, IasiMore
Titus PopPhD, Partium Christian University, Oradea,Romania		

Editorial Board

Pratap Vyamktrao Naikwade ASP College Devrukh,Ratnagiri,MS India	Iresh Swami Ex - VC. Solapur University, Solapur	Rajendra Shendge Director, B.C.U.D. Solapur University, Solapur
R. R. Patil Head Geology Department Solapur University,Solapur	N.S. Dhaygude Ex. Prin. Dayanand College, Solapur	R. R. Yaliker Director Managment Institute, Solapur
Rama Bhosale Prin. and Jt. Director Higher Education, Panvel	Narendra Kadu Jt. Director Higher Education, Pune	Umesh Rajderkar Head Humanities & Social Science YCMOU,Nashik
Salve R. N. Department of Sociology, Shivaji University,Kolhapur	K. M. Bhandarkar Praful Patel College of Education, Gondia	S. R. Pandya Head Education Dept. Mumbai University, Mumbai
Govind P. Shinde Bharati Vidyapeeth School of Distance Education Center, Navi Mumbai	Sonal Singh Vikram University, Ujjain	Alka Darshan Shrivastava Shaskiya Snatkottar Mahavidyalaya, Dhar
Chakane Sanjay Dnyaneshwar Arts, Science & Commerce College, Indapur, Pune	G. P. Patankar S. D. M. Degree College, Honavar, Karnataka	Rahul Shriram Sudke Devi Ahilya Vishwavidyalaya, Indore
Awadhesh Kumar Shirotriya Secretary,Play India Play,Meerut(U.P.)	Maj. S. Bakhtiar Choudhary Director,Hyderabad AP India.	S.KANNAN Annamalai University,TN
	S.Parvathi Devi Ph.D.-University of Allahabad	Satish Kumar Kalhotra Maulana Azad National Urdu University
	Sonal Singh, Vikram University, Ujjain	

Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India
Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.aygrt.isrj.net



GRT **A GEOGRAPHICAL ANALYSIS OF PROBLEMS
ASSOCIATED WITH LOW NUTRITIONAL LEVEL IN
SOLAPUR DISTRICT MAHARASHTRA,(INDIA).**

Hajare R.V.¹, Shinde A.S.² and Mane S.P.³

¹Assistant Professor in Geography, Rajaram Government College Kolhapur (M.S).

²Assistant Professor in Geography, Walchand College of Art's & Science, Solapur (M.S).

³Assistant Professor in Geography and HOD, Sameer Gandhi College of Arts Malshiras Solapur (M.S).

Abstract:-The villages of Maharashtra are lacking in the basic concept of balanced and nutritional diet. The sample families of villages of Solapur district shows a very poor result with respect to intake of balanced, nutritional diet and general awareness. The result of this is that most of the people suffer from slow growth rate, low eye sight, teeth problem, weakness, increased hair fall, anemia, skin problem, lowering of intelligence level and bone deformities. Proper awareness regarding the importance of balanced diet should be enhanced among the village folks.

Keywords:Malnutrition, Balanced Diet, Dietary Habits, Health Hazards, Diseases.

INTRODUCTION

The rural areas of the country are facing very serious problem in the form of nutritional deficiency, which restricts physical growth and mental development. With ever increasing population in developing countries including India, the countries are striving hard toward raising food production and attaining agricultural self sufficiency. Among the developing countries India has high level of malnutrition cases. Infant's children, women especially pregnant women and lactating women constitute the major group of rural population where nutritional deficiency problems are more common. The main source of nourishment for the human body is food, which is defined as the substance which yields energy. Good diet is defined as one which yields nutrient daily in proper amounts to satisfy the physical needs; such a diet is termed as "Balanced Diet". The necessity for food varies according to age, sex, body, climate, size, activity, work condition etc. Food habits are influenced by climatic condition, local food production, social and religious customs and traditions etc. In the area of study almost 87% of the population lives with almost uniform dietary habit. The food habit of the villages of the study area is governed by local production. Climate prevailing customs and traditions.

OBJECTIVES:


- 1.To understand the General nutritional level amongst the masses in study area
- 2.To Interpret Analysis of study the cause and effect of malnutrition.
- 3.To suggest possible steps to overcome the problem of malnutrition.

STUDY AREA:

The District of Solapur lies in the Bhima – Sina main river basin of Maharashtra state. The Solapur District is bounded by 17°05' N Latitudes to 18°32' North Latitudes and 74°42' East to 75°15' East Longitudes. The total geographical area of the district is 14878 sq. kms. Divided into eleven tahasils. According to the census of Solapur district of 2011, Solapur district has total population of 43.15 lakh (rural population 2917088 and urban population 1398439). All Solapur district is very flat into shape and famous for fertile black soils. Climate of the Solapur District

is tropical and rain shadow climate. Major crops are cereals, pulses, oilseeds, sugarcane and fiber crops its Total production 463990.2, 40184.43, 6310.76, 15299694 and 4475.44 are respectively in Solapur district. In view of this the study of Solapur District has been undertaken for the research paper.

MAP OF STUDY AREA



METHODOLOGY AND DATABASE

To find the nutritional deficiency of the people a diet survey was conducted in the study area through personal interview and questionnaire in all the 11 taluqas of the district covering 200 families with 10 from each selected taluqa through random sampling. The analysis of diet schedule has been done on the basis of data information and techniques published by the Indian Council of Medical Research (ICMR), Indian Food Biotechnology Research Institute and W.H.O. etc. Based on the climate condition and nutritional requirement of Indians ICMR along with other institutes like IFBRI have formulated the dietary and nutritional requirements of the Indians. According to the diet chart and nutritional content to the diet taken by rural people of the area have been compared with the standard like carbohydrate content, protein content, vitamin content etc. of varied standard food required by adults. The author has computed the nutritional value according to the diet content and quantity of the food consumed by the locals. The indicators are used to the study Calories, Protein, Iron, Calcium, Vitamin-A, Riboflavin, Thiamine etc.

GENERAL DIETARY HABITS OF SOLAPUR DISTRICT:

Breakfast:

People residing in rural area avoid breakfast they refer to take meals instead of breakfast. They prefer to eat Bhakaries made from Jowar, Wheat, Bajara and one cup of tea and milk and urban people prefer to one cup of tea and 1

glass of milk, bread and fruits.

Lunch:

This constitutes of Chapati, Dal however, Bhakari, Solapur Shengadna Chatney, These Rice more common lunch and other.

Fruits:

Fruits should be consumed in the afternoon.

Dinner:

In dinner Bhakari(Jowari ,Roti & Bajari), Chapati and Rice Dal and Vegetables like Potato, Brinjal, Bitter Gourd Gourd etc.

Other Characteristics:


Fruit consumption is comparatively low in the rural areas compared to urban area. In villages seasonal fruits are generally readily available and consumption depends upon the availability.

INTERPRETION OF CROPING PATTERN AND DIETARY HABITS PEOPLE IN SOLAPUR DISTRICT:

Table No.1- Land Utilization and total Production under Major Crops in Solapur District (Area in Hectares and Production in MT)

Sr. No.	Crops	Area Under Crops	%	Total Production	%
1	Cereals	774723	73.91	463990.2	2.93
2	Pulses	70174	6.69	40184.43	0.25
3	Oilseed	58537	5.58	6310.76	0.04
4	Sugarcane	65704	6.27	15299694	96.74
5	Drugs and Narcotics	126	0.01	-	-
6	Fiber Crops	4921	0.47	4475.44	0.03
7	Fruits and Vegetables	48961	4.67	-	-
8	Condiments and Spices	4366	0.42	-	-
9	Fodder Crops	20653	1.97	-	-
	Total	1048165	100.00	15814655	100.00

Source: Socio-Economic Survey of Solapur District, 2011



The total utilization under major crops in the district has been explained by table no.1. The total area of the Solapur district under major crops is shown in the table. The area under Cereal Crops was 73.91 percent of the total area, which was maximum among all crops. Further, the area under Pulses was 6.69 percent of the total cultivated land. Moreover, the area under Sugarcane 6.27 percent, Oilseed 5.58 percent, Fruits and Vegetables 4.67 percent, Fodder Crops 1.97 percent and Fiber Crops 0.47 percent, Condiments and Spices 0.42 percent of the total cultivated area, but the area under the Drugs and Narcotics in the district was very low i.e. 0.01 percent.

Tahsil	Calories (Mg)	Protein (gm)	Calcium (gm)	Iron (mg)	Vitamin(A)(mg)	Thaimin(e) (gm)	Riboflavin (mg)	Fat (gm)	Carbohydrate (g)	Nutritional index
N. Solapur	10.41	9.67	4.90	8.99	11.16	8.84	11.76	10.35	10.33	9.60
S. Solapur	10.79	9.82	11.61	11.67	10.46	9.94	10.78	10.27	10.66	10.60
Malshiras	8.72	6.61	9.93	9.03	8.49	8.84	7.84	8.11	8.71	8.48
Sangola	9.17	9.06	9.26	7.75	8.67	8.29	10.29	11.74	8.76	9.22
Mangalwedha	7.68	8.46	8.54	8.14	7.67	8.29	7.35	8.80	7.80	8.08
Mohol	9.79	9.37	10.89	9.07	8.54	8.29	8.82	6.52	9.22	8.85
Madha	8.90	8.61	8.69	7.33	8.09	9.94	9.80	8.48	8.48	8.70
Karmala	8.94	9.06	9.02	10.47	10.41	9.94	7.84	9.09	9.59	9.37
Pandharpur	8.85	9.06	8.17	9.69	8.80	9.39	9.31	10.11	8.89	9.14
Barshi	7.79	8.61	9.21	7.79	8.14	9.39	7.84	7.33	8.10	8.24
Akkalkot	8.97	9.67	9.26	10.08	9.87	8.84	8.33	9.21	9.46	9.30
In-take	Average value of indicator	2304	60.18	444.72	24	2607.27	1.64	1.85	21.69	449.5
	%	96%	100%	49.36%	80%	52.14	109%	74%	36.15 %	74.29%
	ICMR Std.	2400	68	900.9	30	5000	7.5	2.5	60	60.5

Table No-2: Nutrients Intake Per Capita per Day. (In %)

Source: Based on Field Survey by Author and Computed according to ICMR Standard Method.
ANALYSIS OF TAHSILS WISE NUTRIENTS DIET IN STUDY AREA

1. Calories:

As a whole the average per capita per day intake are 2304 gm calories although there is wide variation from maximum 10.79% and minimum 7.68% calories among the tahsil of the this study area. Calorie intake is not satisfactory in the study area barring a few families who invariably are better off financially than the others and more than 62% Villagers are deficient in calorie intake of which the major share is received from Cereals.

2. Protein:

Protein is an important ingredient for life and useful for development and growth. It is most important for growing children, pregnant women and lactating women. Since the study area is dominantly vegetarian. Pulses are the chief sources of protein for them. In the study area the rate of intake of pulses varies from minimum 8.46% and maximum 9.82% head per day. Proteins these estimates of portion requirement for adults have been made from available data obligatory nitrogen losses i.e. nitrogen losses on a protein free diet and nitrogen balance experiment for infants and children it is based on portion a satisfactory rate of growth.

3.Iron:

The intake of iron varies from place to place and family to family in the area. The intake per capita per day or iron in diet varies from minimum 7.33% and maximum 11.67% with an average of 80% which is not sufficient. The reason behind this is low intake of food stuffs rich in iron like Banana and also the ignorance of rural people for balanced diet. Iron deficiency cause mainly by anemia and the blood does not have healthy red blood cells. In children is the alteration of behavior and cognitive performing in iron-deficient children striking behavior changes.

4.Calcium:

The intake of calcium per capita per day varies from minimum 8.54% and maximum 11.61% from family to family. Calcium is a very essential element in the balanced diet which helps in bone formation. It is essential for children particularly for women in their after menstrual stage. Low calcium intakes have resulted in bone deformation, low eye sight etc.

5.Vitamin A:


The per capita per day intake of vitamin A in diet varies from minimum 7.67% and maximum 10.46% with, average of 52.14% which is not satisfactory. The reason behind this is low intake of food rich in vitamin A like Green, Vegetables, Egg, Butter, Cheese, Mango, Papaya, and Liver. This is due to ignorance regarding balanced diet and ignorance regarding food stuffs rich in it. Vitamins and minerals is development of these deficiency symptoms but also to maintain satisfactory level in blood or tissue as well as to provide for stronger of these wherever applicable.

6.Riboflavin:

The intake of Riboflavin per capita per day varies from minimum 7.35% and maximum 141.76% with an average of 74% from place to place and family to family. Riboflavin intake is not found satisfactory in the study area. The reason behind this is that pulses and vegetables are the only source of Riboflavin for this study area. The rich sources of this like fruits, fish, milk, and milk products etc. are available cheaply.

7.Thiamine:

Rural diet basically depends on cereals which is the main source of thiamine. Since cereals form the major share of diets in this region so thiamine content is more or less satisfactory in the diet. The average per capita per head intake is 1.64 gm which varies from minimum 8.29% and 9.94% maximum in the study area. The rich sources like Bajra, Jowar, Maize, Ragi and Rice. Thiamine deficiency usually associated with deficiency of vitamin B complex.



The Showing the as above Piachart shows like as Mangalwedha, Barshi, Malshiras, Madha and Mohol which tahsil are below nutritional index then Pandharpur, Sangola, Akklkot and Karmala this tahsil come out of under middle nutritional index and North and south Solapur is two tahsil which under high nutritional index.

ANALYSIS OF TAHSIL WISE NUTRITIONAL DEFICIENCY IN STUDY AREA

Among all the tahsil of Solapur District it is seen that North and South Solapur Taluka have good intakes of nutrients as compared to the other talukas. South Solapur leads among the other talukas with respect to a satisfactory diet where the nutritional content like protein is highest with 9.82%, calories 10.79%, Iron 11.67%, Thiamin 9.94%, Fat 10.27%, on the other hand Mangalwedha along with Vitamin 'A' 7.67% and Sangola which is another backward taluka has the lowest Iron 7.75% and Carbohydrate 8.32%.

Agricultural products of the region influence the food habit of the people, who are generally vegetarian. The nutritional problems in the area under study are both quantitative and qualitative dimensions. In this area are different communities like Marathas, Brahmins, Dhangar Mali, Navboudh, Lingayat, Muslims etc and have different food habits. Muslims, Marathas, Mali, Dhangar are non-vegetarian. Brahmins, Lingayat, Sam-Mali are vegetarian. In general it may be said the women irrespective of their communities are vegetarian.

SUGGESTION PROBLEM OF HEALTH HAZARDS, UNDER NUTRITION AND MALNUTRITION:

India is one of the main malnourished and under nourished country of the world where one out of two Indians suffers either from malnutrition or under nutrition or both (Sukhatme, 1967). Malnutrition mainly occurs due to lack of vitamins and minerals in the diet, while under nutrition occur due to lack of calories in diet.

In the area under study none of the selected families reported satisfactory diet in any respect. Deficient diet in respect of calories, proteins, minerals and vitamins were found almost every where in the study area. Deficient diet leads to low resistance power to the body against diseases and creates various diseases and causes poor health.

In the rural area of Solapur district, malnutrition is widely spread and it may be due to low economic, low availability of foods, tradition, ignorance etc. The intake of Cereals except rice is very low. On the basis of field survey it has been find out that the main suffers of malnutrition and under nutrition are children, old people, and women. Malnutrition during childhood days is very serious because human reaches 90% of normal structural development in the first four years of age. The majority of infants are suffering from different malnutrition disorders.

NUTRIENTS DEFICIENCY DISEASES:

Complete or partial absence of nutrients generally leads to deficiency diseases. Common deficiency disorders gathered from the doctors are:

1. Vitamin A	- Night Blindness, dryness of cornea, total blindness, .	Skin diseases
2. Thiamine (B1)	- Constipation, nausea, depression.	
3. Riboflavin (B2)	- Fissures at the corner of mouth	
4. Calcium	- Teeth disorders, bone deformities	

Slow and poor growth, night blindness, eye sight problem, bone deformities, gum bleeding, anemia, weakness etc. are the common disorders due to deficient diet. Vitamin D deficiency occurs in vegetarians and alcoholics (Satyanarayana 2003).

CONCLUSION AND SUGGESTIONS:

If the prevailing dietary habits continue, the district will not see any improvement in human resource. On the other hand day by day the condition will go on getting worse. The Solapur district will have to deal with incapable (both physically and mentally) population. The human development index will be at the low. One of the important objectives of the study is to suggest ways to improve the dietary habit of the area. Thus it may be concluded that given below

1. The most important suggestion is to change the cropping pattern of the area. Such crops which are rich from nutritional point of view should be introduced by the government and the agricultural organizations.
2. Government officials, health department officials, agricultural university professionals should all jointly take the initiative towards encouraging the people of this district for the same and making them aware of the necessity of a balanced diet. Camps, meetings, get together; street plays etc. involving the villagers can be held towards making the mass aware of balanced diet.
3. "In order to achieve improvements in nutritional level, the geographer should consider the triangular conflict – man, land and cattle (Mukherjee, 1938)". The study area has one of the highest numbers of cattle, though this positive side is

not purposely utilized by the people of this region. For vegetarians the most important source of protein is milk, which may be increased both in quality and quantity. At the same time proper attention must be given to see that regularly milk and milk products like paneer is included in the diet. In the study area though curd is regularly an important part of diet but consumption of milk in its original form is less except kids.

4.Poultry Farming, pig and goat rearing can also be the other options (which will cater to the needs of the non-vegetarians) especially for the marginal and landless farmers. Dhangar, Koli, Banjara community in the district traditionally undertakes sheep and goat rearing activity. The area in Malshiras, Sangola, Akkalkot, South Solapur and Madha block wise are best suited for goat rearing.

5.Besides other factors, illiteracy also plays a vital role in the low nutritional level. Whatever nutrient is available in their food is also lost due to faulty cooking methods. Moreover use of too much of oil and spices while cooking creates adverse effects.

6.Finally, it must be remembered that improvement in nutritional levels cannot be achieved so easily. Improvement must be made in relation to the existing dietary patterns. Further education of the public with regard to the importance of balanced diet and way of its incorporation is essential.

7.It is hoped that the government officials and NGOs rise up to the occasion and take the necessary measures to overcome the situations.

REFERENCES:

- 1.Gopalar G., and Other (2012) "Nutritive Value of Indian Foods" National Institutes of Nutrition (ICMR), Hydrabad. Pp.55 to 60
- 2.Gurmukh S. Sainani (1997), A. P. I. Textbook of Medicine, association of physicians of India, Bombay (fifth edition). Pp.156.
- 3.Harli, S (1980) "Development Nutrition", Prentice Hall, New Zealand. Pp.79 to 99.
- 4.Karwarkar, M (2009), "Doctor, what should I eat", Swati Publishers, Mumbai. P. 66
- 5.Misra, R. P. (1970), "Medicinal Geography of India", N.B.T., New Delhi.P. 52
- 6.Mukherjee, R (1938) "Food planning for Four Hundred Millions", Macmillan, London. Pp. 99 to 114.
- 7.Satyanarayana,U (2003), "Biochemistry", Books and Allied Ltd, Kolkata. Pp. 6 to 8.
- 8.Sukhatme, P. V. (1967), "Indian prospects of a living Nutritional Self-sufficiencies, Sci. Rep, 4. p.31.
- 9.Dr. Manisha A.Mehrotra I, Ms. Saumya Chand "An Evaluation Of Maior Determinants Of Health Care Facilities For Women in India" IOSR Journal of Humanities and Social Science (JHSS) Volume 2, Issue 5 (Sep-Oct. 2012), Pp 01-09.
- 10.Government of Maharashtra; Socioeconomic Revive & District statistical Abstract Of Solapur District (2011 2012 2013)
11. www.who.int/en
12. www.SELF



Mane S.P

Assistant Professor in Geography and HOD, Sameer Gandhi College of Arts Malshiras Solapur (M.S).

Publish Research Article International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication, you will be pleased to know that our journals are

Associated and Indexed, India

- * International Scientific Journal Consortium
- * OPEN J-GATE

Associated and Indexed, USA

- EBSCO
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Database
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database
- Directory Of Research Journal Indexing

Golden Research Thoughts
258/34 Raviwar Peth Solapur-413005, Maharashtra
Contact-9595359435
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com
Website : www.aygrt.isrj.net