

International Multidisciplinary Research Journal

Golden Research Thoughts

Chief Editor
Dr.Tukaram Narayan Shinde

Publisher
Mrs.Laxmi Ashok Yakkaldevi

Associate Editor
Dr.Rajani Dalvi

Honorary
Mr.Ashok Yakkaldevi

Welcome to GRT

RNI MAHMUL/2011/38595

ISSN No.2231-5063

Golden Research Thoughts Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial board. Readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

International Advisory Board

Flávio de São Pedro Filho Federal University of Rondonia, Brazil	Mohammad Hailat Dept. of Mathematical Sciences, University of South Carolina Aiken	Hasan Baktir English Language and Literature Department, Kayseri
Kamani Perera Regional Center For Strategic Studies, Sri Lanka	Abdullah Sabbagh Engineering Studies, Sydney	Ghayoor Abbas Chotana Dept of Chemistry, Lahore University of Management Sciences[PK]
Janaki Sinnasamy Librarian, University of Malaya	Ecaterina Patrascu Spiru Haret University, Bucharest	Anna Maria Constantinovici AL. I. Cuza University, Romania
Romona Mihaila Spiru Haret University, Romania	Loredana Bosca Spiru Haret University, Romania	Ilie Pinteau, Spiru Haret University, Romania
Delia Serbescu Spiru Haret University, Bucharest, Romania	Fabricio Moraes de Almeida Federal University of Rondonia, Brazil	Xiaohua Yang PhD, USA
Anurag Misra DBS College, Kanpur	George - Calin SERITAN Faculty of Philosophy and Socio-Political Sciences Al. I. Cuza University, IasiMore
Titus PopPhD, Partium Christian University, Oradea, Romania		

Editorial Board

Pratap Vyamktrao Naikwade ASP College Devrukh, Ratnagiri, MS India	Iresh Swami Ex - VC. Solapur University, Solapur	Rajendra Shendge Director, B.C.U.D. Solapur University, Solapur
R. R. Patil Head Geology Department Solapur University, Solapur	N.S. Dhaygude Ex. Prin. Dayanand College, Solapur	R. R. Yalikal Director Management Institute, Solapur
Rama Bhosale Prin. and Jt. Director Higher Education, Panvel	Narendra Kadu Jt. Director Higher Education, Pune	Umesh Rajderkar Head Humanities & Social Science YCMOU, Nashik
Salve R. N. Department of Sociology, Shivaji University, Kolhapur	K. M. Bhandarkar Praful Patel College of Education, Gondia	S. R. Pandya Head Education Dept. Mumbai University, Mumbai
Govind P. Shinde Bharati Vidyapeeth School of Distance Education Center, Navi Mumbai	Sonal Singh Vikram University, Ujjain	Alka Darshan Shrivastava Shaskiya Snatkottar Mahavidyalaya, Dhar
Chakane Sanjay Dnyaneshwar Arts, Science & Commerce College, Indapur, Pune	G. P. Patankar S. D. M. Degree College, Honavar, Karnataka	Rahul Shriram Sudke Devi Ahilya Vishwavidyalaya, Indore
Awadhesh Kumar Shirotriya Secretary, Play India Play, Meerut (U.P.)	Maj. S. Bakhtiar Choudhary Director, Hyderabad AP India.	S.KANNAN Annamalai University, TN
	S. Parvathi Devi Ph.D.-University of Allahabad	Satish Kumar Kalhotra Maulana Azad National Urdu University
	Sonal Singh, Vikram University, Ujjain	

Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India
Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.aygrt.isrj.org



EFFECT OF YOGIC PRACTICE AND CALISTHENICS TRAINING ON HORMONE TRIIODOTHYRONINE (T3) IN PHYSICAL EDUCATION STUDENTS




W. Vinu¹ and K. Palanisamy²

¹Assistant Professor, Department of Physical Education & Sports Sciences, Annamalai University.

ABSTRACT

The aim of the study was to determine the effect of selected yogic practices and Calisthenics on hormones triiodothyronine. 60 Physical Education men student were selected randomly from Annamalai University they were selected random and their age group was between 18 - 25 years. Three groups were formed two experimental and one control group of 20 subjects each. The experimental group-1 participated in yogic practice training and experimental group-2 underwent Calisthenics for 10 week and the control group performed the routine work. The data was collected in the beginning and at the end. The training schedule was prepared systematically and carefully. The significance was tested at 0.05 levels.

KEYWORDS: *Yogic practice, Calisthenics, Hormone Triiodothyronine (T3).*



INTRODUCTION :

Yoga is a psycho-somatic-spiritual discipline for achieving union and harmony between our mind, body and soul and the ultimate union of individual. Yoga is perhaps the only form of activity, which massages all the internal glands, and organs of the body in a thorough manner. Yoga acts in a healthy manner on the various body parts. This stimulation and massage of the organs in turn benefits the mass by keeping away diseases. Yoga ensures the optimum blood

supply to various parts of the body, by gently stretching muscles and joints as well as massaging the various organs. Regular yoga practice brings about mental clarity and calmness, increases body awareness and also relieves chronic stress patterns, relaxes the mind, centers attention and sharpens concentration.

Calisthenics require only minimal equipment and can be performed in almost any location. These exercises can be used to develop and maintain muscle strength, develop co-ordination and muscle endurance, and can be particularly useful when strength-training equipment is not available.

The thyroid is one of the largest endocrine glands shaped like a flat shield like surface that sits in front of the vocal cords, and just below Adam's apple in the root of neck. The thyroid is responsible for production and secretion of the triiodothyronine(T3) hormones and calcitonin throughout the body. This output of hormones is regulated by pituitary gland. T3 has great effect on the way the body uses energy. (sembulingam,2002).

OBJECTIVES OF THE STUDY

The core aim of the present study was to find out the effect of Yogic Practice and Calisthenics on hormone Triiodothyronine (T3) in physical education students.

METHODOLOGY

For the purpose of the study, 60 physical education students were selected randomly from 'Annamalai University' and their age group was between 18 - 25 years and weight ranged from 52-63kg were recruited, with their consent. Three groups were formed group -1 yogic practice group and group-2 Calisthenics group of with 20 subjects in each group. The experimental groups participated in yogic practice and Calisthenics for 10 week and the control group performed the routine work. The data collected in the beginning and at the end. The training schedule was prepared systematically and carefully. The significance was tested at 0.05 levels. Blood samples were taken before and after 10 weeks of both yogic and calisthenics training.

Administration Of test

Sample : fasting Serum

Radioimmunoassay (RIA)

Is an elegant technique in analytical biochemistry and plays a significant role in the diagnosis. (Ramakrishna and Swamy, 1995)

Reagents

Microwells coated with rabbit T3 antibody, T3 Conjugate, Substrate, Stop solution

Standards. Control serum, Wash solution

Procedure

The appropriate number of microwell strips were selected and secured them to the holding frame 50µl each of standards, control serum, and test samples were added to the wells and 100 µl of T3 conjugate was added to each well. The plate was covered, mixed well by swirling the plate gently for 30 seconds and incubated at room temperature for 1 hour. The supernatant from the entire well was drained thoroughly by inverting the plate and tapping vigorously on an absorbent paper towel to remove excess fluid. The well were washed five times with diluted wash solution 200 µl of substrate solution was added to each well mixed well by swirling the plate gently for 30 seconds covered the plate and incubated at room temperature for 30 minutes. 100 µl of stop solution was added to each and gently to mix the stop solution. The absorption was read to 450nm.

Calculation the concentration of T3 was interpolated from a standard curve, the serum T3 level is expressed as ng/dl.

Training protocol

The experimental groups underwent training regime that consists of six to eight exercise session, two sessions a day four days a week for ten weeks. In the morning, yogic training and Calisthenics administrated from Monday to Friday respectively, and the control group did not participated in any specialized training during this period of study.

Schedule of yogic Practice:

Name of the Asana	Duration Of Asana
Shavasana	15 minutes to 20 minutes
Sarvangasana	1/2 minute to 15 minutes
Matsyasana	1/4 minute to 6 minutes
Halasana	1 minute to 4 minutes
Bhujangasana	10 minutes to 1 minute
Dhanurasana	10 minutes to 1 minute
Shavasana	15 minutes to 20 minutes

Schedule of Calisthenics

Calisthenics	Sets
Stepping	6
Lunging (forward and Sideward)	6
bending	3
jumping	3
sitting	6
clapping	6

Note

For each exercise, with one set of eight reps. Each set take about one minute and rest for 60 seconds after each set.

Experimental Design and Statistical Procedure

The experimental group design used in this study was random group design involving forty-five subjects. (Clark et al., 1972) Analysis of covariance (ANCOVA) was used for computing, further, since three groups were involved, whenever the 'F' ratio was significant, Scheff'e S post hoc test was used to determine which of the paired mean differ significantly. To be changed

Result and Discussion:

The descriptive analysis of data collected on selected hormone triiodothyronine Prior to and immediately after the 10 weeks of yogic practice and Calisthenics training is presented in the table-3

Table 3
Analysis of mean value for Pre and Post Tests Data on Triiodothyronine (T3) of Experimental and Control Groups

	Yogic group	Calisthenics group	Control group
Pretest Mean	125.61	125.76	125.66
Post test mean	131.70	130.55	129.33

Analysis of covariance value for Post Tests Data on Triiodothyronine (T3) of Experimental and Control Groups

Source of Variance	Df	Adjusted S.S	Adjusted M.S	F Ratio
Between Sets	2	396.71	198.35	157.9*
With in Sets	57	71.59	1.25	
Total	59	513.0		

* Significant at 0.05 level.

The table value required for significance at 0.05 level of confidence with degree of freedom 2, 57 is 3.16.


The obtained 'F' ratio value of 157.9 for post-test data on Triiodothyronine is significant at 0.05 levels. The results of Scheffe's post-hoc test is presented in table-4.

Table-4
Scheffe's Test for the Differences between the Adjusted Post Test Paired Means on Triiodothyronine

Yogic group	Calisthenics	control	Mean Difference	Confidential Interval
131.69	130.55		1.14	1.23
	130.55	125.76	4.79*	1.23
131.69		125.76	5.92*	1.23

*Significant at 0.05 level

Figur-1
Graphical Representation of Pretest, Posttest and Adjusted posttest



The adjusted posttest paired mean difference of yogic training group and control group is 5.92 is greater than the required confidential interval of 1.23 so there is a significant difference between the control group and yogic practice group. And the adjusted posttest paired mean difference of calisthenics training group and control group is 4.79 is greater than the required confidential interval of 1.23 so there is a significant difference between the control group and yogic practice group. Hence the paired mean difference between yoga group and calisthenics is 1.15 lesser than the confidential interval of 1.23 there is no significant difference among the group.

CONCLUSION

It reveals both yoga and calisthenics groups have significantly increased in Triiodothyronine but compared to Calisthenics group yoga group has shown better improvement.

REFERENCE

1. Clarke, Harrison H. and David, H. Clarke. Advanced Statistics with Application to Physical Education, Englewood Cliffs, New Jersey: Prentice Hall, 1972.
2. CROWWELL, L., (1996). Biomedical Instruments and measurement, New Delhi: Prentice Hall Of India Pvt Ltd.
3. Gharote, M.L.. and Ganguly, S.K.(1988). Teaching Methods of yogic Practice, Lonavala: Kaivalyadhama, S.M.Y.M Samathi.
4. Herzog H, Lele VR, Kuwert T, Langen KJ, Rota Kops E, Feinendegen LE. Changed pattern of regional glucose metabolism during yoga meditative relaxation. Neuropsychobiology. 1990; 23:182-7.28.
5. Indiradevi, (1990). yoga –The Techniques of health and happiness, Delhi: Jaico Publication House
6. Madanmohan (2008). Introducing Yoga to Medical Students-The JIPMER Experience: Advanced Centre for Yoga Therapy, Education and Research.
7. Nutrition and Exercise Resource Manual 2011.
8. Ruby Aleexader (2001). Effect of Yoga and traditional Physical exercises on hormones and percentage insulin Binding in patients. Department of Basic Medical Sciences, Jamaica: University of the west Indies, Kingston.
9. Senbulingam, K.(2002). Essentials of Medical Physiology, Chennai: Jaypee Brothers, p.276



W. Vinu

**Assistant Professor, Department of Physical Education & Sports Sciences,
Annamalai University.**

Publish Research Article

International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication, you will be pleased to know that our journals are

Associated and Indexed, India

- ★ International Scientific Journal Consortium
- ★ OPEN J-GATE

Associated and Indexed, USA

- ✍ EBSCO
- ✍ Index Copernicus
- ✍ Publication Index
- ✍ Academic Journal Database
- ✍ Contemporary Research Index
- ✍ Academic Paper Database
- ✍ Digital Journals Database
- ✍ Current Index to Scholarly Journals
- ✍ Elite Scientific Journal Archive
- ✍ Directory Of Academic Resources
- ✍ Scholar Journal Index
- ✍ Recent Science Index
- ✍ Scientific Resources Database
- ✍ Directory Of Research Journal Indexing

Golden Research Thoughts
258/34 Raviwar Peth Solapur-413005, Maharashtra
Contact-9595359435
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com
Website : www.aygrt.isrj.org