

International Multidisciplinary Research Journal

Golden Research Thoughts

Chief Editor
Dr.Tukaram Narayan Shinde

Publisher
Mrs.Laxmi Ashok Yakkaldevi

Associate Editor
Dr.Rajani Dalvi

Honorary
Mr.Ashok Yakkaldevi

Golden Research Thoughts Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial board. Readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

Regional Editor

Dr. T. Manichander

International Advisory Board

Kamani Perera
Regional Center For Strategic Studies, Sri Lanka

Mohammad Hailat
Dept. of Mathematical Sciences,
University of South Carolina Aiken

Hasan Baktir
English Language and Literature
Department, Kayseri

Janaki Sinnasamy
Librarian, University of Malaya

Abdullah Sabbagh
Engineering Studies, Sydney

Ghayoor Abbas Chotana
Dept of Chemistry, Lahore University of
Management Sciences[PK]

Romona Mihaila
Spiru Haret University, Romania

Ecaterina Patrascu
Spiru Haret University, Bucharest

Anna Maria Constantinovici
AL. I. Cuza University, Romania

Delia Serbescu
Spiru Haret University, Bucharest,
Romania

Loredana Bosca
Spiru Haret University, Romania

Ilie Pinteau,
Spiru Haret University, Romania

Anurag Misra
DBS College, Kanpur

Fabricio Moraes de Almeida
Federal University of Rondonia, Brazil

Xiaohua Yang
PhD, USA

Titus PopPhD, Partium Christian
University, Oradea, Romania

George - Calin SERITAN
Faculty of Philosophy and Socio-Political
Sciences Al. I. Cuza University, Iasi

.....More

Editorial Board

Pratap Vyamktrao Naikwade
ASP College Devrukh, Ratnagiri, MS India Ex - VC. Solapur University, Solapur

Iresh Swami

Rajendra Shendge
Director, B.C.U.D. Solapur University,
Solapur

R. R. Patil
Head Geology Department Solapur
University, Solapur

N.S. Dhaygude
Ex. Prin. Dayanand College, Solapur

R. R. Yaliker
Director Management Institute, Solapur

Rama Bhosale
Prin. and Jt. Director Higher Education,
Panvel

Narendra Kadu
Jt. Director Higher Education, Pune

Umesh Rajderkar
Head Humanities & Social Science
YCMOU, Nashik

Salve R. N.
Department of Sociology, Shivaji
University, Kolhapur

K. M. Bhandarkar
Praful Patel College of Education, Gondia

S. R. Pandya
Head Education Dept. Mumbai University,
Mumbai

Govind P. Shinde
Bharati Vidyapeeth School of Distance
Education Center, Navi Mumbai

G. P. Patankar
S. D. M. Degree College, Honavar, Karnataka

Alka Darshan Shrivastava
Shaskiya Snatkottar Mahavidyalaya, Dhar

Chakane Sanjay Dnyaneshwar
Arts, Science & Commerce College,
Indapur, Pune

Maj. S. Bakhtiar Choudhary
Director, Hyderabad AP India.

Rahul Shriram Sudke
Devi Ahilya Vishwavidyalaya, Indore

Awadhesh Kumar Shirotriya
Secretary, Play India Play, Meerut (U.P.)

S. Parvathi Devi
Ph.D.-University of Allahabad

S.KANNAN
Annamalai University, TN

Sonal Singh,
Vikram University, Ujjain

Satish Kumar Kalhotra
Maulana Azad National Urdu University

HIV/AIDS A PROBLEM OF TEENAGER IN SOCIETY



Dr. D. G. Nejkar

Associate Professor , Department of Social Work Karmaveer Hire Arts , Science, Commerce and Education College, Gargoti, Kolhapur.

Short Profile

Dr. D. G. Nejkar is working as Associate Professor at Department of Social Work in Karmaveer Hire Arts ,Science, Commerce and Education College, Gargoti, Kolhapur.



ABSTRACT:

This review relates to the information, character and danger manner of young people with regards to HIV/AIDS pandemic spreading at a quick pace among them. The review was embraced in Kolhapur city, which has been decreed high popularity region in Maharashtra region to the extent HIV/AIDS disease is concerned. The proposition has been arranged into 5 sections. To begin with Chapter is given to presenting the subject of the review and the HIV/AIDS pervasiveness among youths. The discerning for the review has additionally been built into this part. The hypotheses relating to

youth have likewise been checked on in this part. On the premise of these the examination targets have been shaped. A spellbinding examination configuration has been embraced for study. School going and drop out adolescences in the age gathering of 15 to 19 years have been secured, who is chosen through multi organize irregular inspecting and snowball testing separately. The information have been gathered by utilizing three semi-structure timetables to gauge learning, mentality and hazard conduct of these youths other than gathering the statistic points of interest of these subjects. The information have examined utilizing SPSS bundle. Basic recurrence tables have been made and rates worked out. Cross tables have created and trial of affiliation what's more, co-connection examination have been utilized at proper spots. The discoveries have plainly demonstrated that, however the youths know about HIV/AIDS and related issues their insight is not extensive and they harbored a few confusion about transmission, treatment-cure. It was additionally observed that school going young people would be advised to learning contrast with

Article Indexed in :

- | | | |
|------|----------------|-------------|
| DOAJ | Google Scholar | DRJI |
| BASE | EBSCO | Open J-Gate |

drop out teenagers. Evaluation of state of mind demonstrated 75 percent were impartial, which is a reason for worry as this displays the difficulty among young people about HIV/AIDS related issues. It was found that, those slander has diminished, the teenagers appear to have had intense dread about HIV/AIDS. Examination of state of mind demonstrated that the school going young people has preferable demeanor over drop out youths. With respect to conduct it was found that lion's share of young people were in direct hazard classification. Correlation between school going and drop out teenagers demonstrated no critical contrast between the two. In conclusion it was found that the school going youths scored better in all the three regions when contrasted with the drop out teenagers, accordingly, there is a need to concentrate on the drop out young people.

KEYWORDS

HIV/AIDS A Problem ,review relates ,co-connection examination .

HEALTH:

Health is a typical subject in many societies. Indeed, all groups as a feature of their way of life have their idea of Health. Present day medication is frequently blamed for being engrossed with the investigation of ailment, to the disregard of the investigation of Health. Subsequently, our numbness about Health keeps on being significant, as it is a disregarded element regardless of lip administration. At the individual level, it can't be said that Health possesses an essential place as it is generally enslaved to different needs characterized as more critical, e.g., riches, influence, renown, information, and security. Health is regularly underestimated and its esteem is not comprehended until it is lost. In any case, amid the previous couple of decades, there has been an expanded arousing and understanding that Health is an essential human right- an attending of the privilege to life. It is acknowledged as a social objective around the world, as it is basic as per the general inclination of essential human needs. It ought to be accomplished by each individual, with the goal that one can appreciate an enhanced personal satisfaction.

Until currently, fitness turned into perceived as a circumstance characterized by means of the absence of any physical disease. But lately, the know-how about health has gone through a sea exchange, to undertake a broader attitude. The widely general definition of fitness, given through the arena health company (1948) inside the preamble to its constitution, states that, "health is a kingdom of complete bodily, mental, and Social nicely being and now not simply a lack of disease or infirmity". In recent years, this statement has similarly been amplified to include underneath health, the capacity to guide a "socially and economically effective lifestyles" (WHO, 1978). Health is a multidimensional concept, comprising of bodily, mental, and social dimensions. Some of scholars have emphasized at the affiliation among surroundings and unwell-health. Life-style, habits, living situations, etc., are taken into consideration to be some of the determinants of 1's healthful dwelling (Park, 2007). Any impairment in these or any defective behavior may additionally expose one to ailment or sick-health. AIDS is one such situation which can be attributed largely to humans' behavior and behavior.

Human Immuno Deficiency Virus and Acquired Immuno Deficiency Syndrome (HIV/AIDS):

In the mid year of 1981, the Center for Disease Control (CDC) in the United States of America reported instances of an irregular kind of pneumonia and an uncommon type of skin growth called Kaposi's Sarcoma, being recognized in a couple beforehand sound gay person men, in New York and Los Angeles. These reports flagged the landing of a strangely procured turmoil of the human safe framework, which incapacitated the body guards. This was the start of one of the greatest general wellbeing and formative issues of the twentieth century, which began from insignificant smoke flags and cleared over the globe like out of control fire (WHO 2000). Since, the Human Immuno Virus enters the blood and assaults and executes

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

the white platelets the fighters who ensure the human body against sick wellbeing/ailment, the insusceptible arrangement of the human body is debilitated. Slowly this prompts to a determinedly dynamic and significant debilitation of the insusceptible framework, making the human body defenseless against entrepreneurial diseases. HIV is not an infection in itself, it is a condition, which if not oversaw appropriately with a solid way of life and propensities, comes about into AIDS-a condition, where an individual's safe framework has been lost and the individual gets to be distinctly defenseless against numerous ailments.

As a result, HIV and AIDS are one of kind levels after an individual is infected by using the virus-of which HIV is the preliminary level and AIDS is the very last level of it. It takes about 7-10 years for this infection to progress from the preliminary degree to the very last level depending at the character's basic constitution and fashionable circumstance of the immune machine; type of nutrients, care and support the individual gets after being inflamed; sexual behavior and practices of the character after being infected; well known environmental factors in which the person works and lives; and availability of health offerings. In growing countries like India, the progression to AIDS can be quicker because of malnutrition, bad country of fitness, insufficient fitness services and social help systems, besides illiteracy, ignorance and poverty, and more than one sex partners. It has assumed a kingdom of one of the most complicated health problems of the 21st century (Thomas, G., 1995)

Scenario in India about HIV and AIDS

In India, ever for the reason that first case was found into Chennai, the capital of Tamil Nadu, HIV has unfold to exceptional susceptible businesses. Globally, India with an envisioned zero.9 consistent with cent incidence rate, is rated as a low prevalence nation (average prevalence is <1.0%). but, India is domestic to a thousand million population so, even low costs of contamination translate into huge variety of humans inflamed. India takes place to be the second nation with highest wide variety of HIV infected people in the world, with all 34 States /Union territories being laid low with the epidemic. The expected quantity of HIV inflamed people (guys, women and children) is five.134 million, with the prevalence price at 0.87 percent. HIV/AIDS is one among the biggest and growing reasons of death in India. The unfold, but, isn't always uniform across the nation. The most populous states of India are least affected, viz., Uttar Pradesh, Bihar, Rajasthan, Madhya Pradesh, and Orissa. primarily based on the HIV Sentinel Surveillance information, the states/union territories within the nation of a had been classified as excessive occurrence states, slight occurrence states, and coffee occurrence states, based totally on the rate of occurrence of HIV in the person population in these states. Maharashtra, Tamil Nadu, Karnataka, Andhra Pradesh, Manipur, and Nagaland fall within the high incidence class because the HIV infection has crossed the 1% or greater in antenatal girls in those states. The slight occurrence states include Gujarat, Goa, and Pondicherry, in which the HIV contamination has crossed five% or extra some of the high threat institution, but it's miles underneath 1% in antenatal girls. Finally, the remaining states in which the HIV infection in any of the high-chance organization is much less than 5% and is less than 1% among antenatal women are positioned in the low prevalence states category.

India's Socio Economical status, conventional social wrongs, and social myths on sex what's more, sexuality, lack of education and neediness, obliviousness about sexually transmitted illnesses, their anticipation, and the immense populace, make its childhood to a great degree defenseless against the HIV/AIDS plague. This scourge is the most recent danger to the survival of youngsters, ladies and men in India. This is on the grounds that, in India, more than 5.1 million instances of HIV were distinguished (NACO, 2004), and it represented 10 for every penny of the world's tainted people. Truth be told, the underlying endeavors made to determine the quantity of PLHAs in India, demonstrated that around 5 million

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

individuals were living with this contamination, which was higher than the general population living with HIV/AIDS in some other nation. Better information, including the aftereffects of a national family unit review led in 2005-2006, prompted to a noteworthy amendment of the predominance gauge in July 2007. It is presently suspected that around 2.3 million individuals in India are living with HIV. Of these, an expected 39 for each penny are females and 3.5 for every penny are youngsters. The National AIDS Control Organization (NACO) discharges HIV figures every year in light of information assembled from HIV Sentinel Surveillance destinations. In 2007, observation was directed at 1134 destinations and 358,797 specimens were tried for HIV. The locales complete tests among the high risk crowd and among antenatal center participants. The information assembled from the antenatal facilities is then utilized as a surrogate for the all inclusive community. Crosswise over India HIV pervasiveness seems, by all accounts, to be low among the all inclusive community, however excessively high among high-chance gatherings, for example, Intravenous Drug Users, Female Sex Workers, Men who have intercourse with Men (MSM), and STD center attendees. The normal predominance of HIV among ladies going to antenatal facilities in India is 0.48 for each penny. Much higher rates are to be found among individuals going to STD centers (3.6%), female sex specialists (5.1%), infusing drug clients (7.2%), and men who engage in sexual relations with men (7.4%). Shockingly be that as it may, precise figures of AIDS cases in India are not accessible as NACO has not discharged insights relating to either individuals experiencing AIDS or the quantity of individuals who have kicked the bucket because of this condition, since 2005. In any case, a portion of the last figures created before the end of 2005 reported 116,905 AIDS cases in India of which 34,177 were ladies. Around 33% of these were among individuals more youthful than 30 years old. These figures are ventured to be collapsed, the same number of AIDS passings go unreported in India, because of the shame connected to this ailment and segregation. Much of the time, a patient bites the dust without HIV being analyzed, and the demise ascribed to a deft disease, for example, tuberculosis (WHO, 2005). At first however the scourge was high-hazard assemble based, male predominant and urban focused, however recently has spread to the all inclusive community and the distinctions between male-female and urban-provincial is quick decreasing. However, the accessible insights show just the tip of the icy mass, as the genuine number of HIV/AIDS cases might be a great deal more than those of the reported. The purposes behind such under reporting could be numerous, viz., obliviousness, dread, disgrace and segregation, disavowal, and so on.

Effect of HIV/AIDS on Personal, Family and Society:

In the current scenario, does not have any cure medicine on HIV/AIDS, it is viewed as nothing. This subjects a HIV constructive individual to distress, which, over a timeframe influences the individual physically, rationally, and financially. This thus has its own staggering effect on the family and society. For instance, this contamination, at the individual and family level has a tendency to debilitate the body and cause discouragement in the individual living with HIV, and the body so tainted will be inclined to crafty diseases, may bring about successive absenting from work, loss of business and pay, expanded restorative and related costs, trade off on youngsters' training, and family funds and speculation. Other than all these, it likewise brings about the lessening of life expectancy and acquiring potential, as the demise of the provider or the procuring part brings about desperation of the wards and social and financial weakness for long years.

Promote, since the contaminated people are for the most part from the gainful and regenerative age gathering of society, very youthful and inside the employable age, their efficiency descends and influences the economy of the nation antagonistically. The expansion in the horribleness and death rates are likewise unsafe to the general public as this expands the human services costs, as well as the cost of supporting the down and out and stranded families/individuals.

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

HEALTH OF TEENAGER:

The health concerns of teenagers have assumed a greater significance during the arena. This is due to the fact, the statistics to be had simply shows that, an increasing number of people all through this stage of existence have been falling prey to some of unhealthy and self-negative behavior, e.g., inadequate exercise, intake of tobacco, alcohol, drug use, and risky sexual interest. Those behaviors have an effect on their fitness adversely formative years is a extensive duration of existence that marks a transition from being a established infant to becoming an independently functioning grownup, and except persons at some stage in this degree of existence are assisted in developing healthful conduct and behaviors, they may be most likely to stray. That is disastrous not most effective for the man or woman concerned, but additionally to the society at massive. subsequently, the numerous changes happening within the bodily, psychological, and/or social spheres of these kids both because of hormonal changes, or in conjunction to the strain from the social shape deserve good enough attention. The developmental psychologist's kingdom that, for the duration of this era, modifications more normally occur in patterns in their questioning, attitudes, thoughts, relationships, and ethical standards. But, it's also proved that this transition may be uneven in individuals. Though a few may be attaining their physical maturity and reproductive capability pretty early in existence, others might also nonetheless be lagging in the back of inside the improvement of psychological and social maturity. This will result in numerous issues, consisting of the issues inside the region of health.

TEENAGER AND THEIR SEXUAL BEHAVIOR:

It observed that, in spite of the critical number of teenagers in the number of inhabitants in numerous nations, their wellbeing needs appear to be inadequately comprehended and badly served. India is by all accounts no special case. The absence of data saw in practically every measurement of their life, was more affirmed in the circle of sexual conduct, conceptive wellbeing, including regenerative horribleness, regenerative care and fetus removal looking for conduct, particularly in rustic parts of India. The review of grown-up understudies of schools and school in contemporary India demonstrates that albeit premarital sexual experience among them is not as basic as in Western nations, it is not thoroughly truant as normally seen. This is on the grounds that, the accessible writing uncovers that, in contrast with the 76 for each penny of young fellows and 66 per penny of young ladies having encountered sex by their last year of secondary school in the USA, just an expected 25 for each penny of male understudies in Delhi School and 28 for every penny of male undergrads in Hyderabad (Goparaju, 1994) reported premarital sexual experience.

In Mumbai it found that, 8 for each penny of guys and 1 for every penny of females among teenagers secured under the review had sexual experience. Learning of defensive impacts of condoms however was high among male youthful respondents; half of the individuals who had intercourse did not utilize them. The review presumed that the age gathering of 16 to 17 years was fitting for HIV decrease training and the social expertise to utilize condoms. This is a decent proposal in light of the fact that, reported that the review led in a red-light region of Calcutta found that 8 for every penny of the clients of whores were understudies. This rate was much higher in Bombay, in view of a comparable review there, reported that the relating figure was as high as 30 for each penny. This shows the estimations of youngsters identifying with sex and their ways to deal with sexuality are quick changing in India.

Those converting values amongst today's children may be attributed to several of factors. The giant explosion of satellite TV for pc television programmes, reducing across cultural limitations, regularly explicitly directed at adolescents, the media depicted permissiveness and promiscuity, the accelerated tour and tourism, inside and outside migration, speedy and multiplied urbanization, easy get admission to dangerous substances, and eroding influence and control of conventional institutions, together with the

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

circle of relatives, are normally recounted to be liable for the erosion of conventional values and developing licentiousness a few of the youngsters of the modern-day society. Similarly, it's also found that even as the imply age of onset of puberty is declining, the suggest age of marriage is growing. This means an extended duration of feasible unprotected sexual hobby between puberty and marriage as human beings have little get admission to contraceptives, therefore bringing the chance of too early or undesirable pregnancy, precipitated abortion, STDs/HIV.

Teenager appear to adopt methods which they assume are safe, while exploring their sexuality, little aware about the risks of such experimentation. It's far vital to recognize how younger humans outline "having sex" while surveying their know-how approximately their publicity to chance. This is due to the fact surveys generally recall human beings as sexually lively most effective if they may be having vaginal intercourse. Sexual behavior inclusive of anal intercourse is seldom taken into consideration as falling beneath 'sexually active' class and as unstable, as such acts are not related to being pregnant. Nevertheless, such sexual interest also poses a hazard of HIV and other STIs. In industrialized societies, a predicted 70 consistent with cent of HIV transmission occurs among men who've intercourse with guys (MSMs). UNAIDS envisioned that five to ten in line with cent of all HIV instances worldwide were because of transmission of the infection between guys.

Numerous youngsters are at risk on the grounds that nobody including guardians, instructors, guides, medicinal services specialists, or the media-has shown them about safe sex, HIV/AIDS or about how to secure themselves as well as other people. Notwithstanding over 15 years of global acknowledgment of the need to teach and convey on the counteractive action of HIV/AIDS, youngsters today still have just constrained chances to find out about the infection and the malady. A few grown-ups believe that sex training supports sexual experimentation. Therefore, projects and battles regularly are restricted in what they disperse, along these lines being for all intents and purposes insufficient in giving far reaching information about sexuality and the dangers included.

ISSUES OF STIGMA AND DISCRIMINATION WITH HIV/AIDS:

In our general public, individuals living with HIV/AIDS are regularly observed as unethical. This is on account of, the vast majority trust that HIV/AIDS is gained through just a single wellspring of transmission, that is, sex. Sexual practices and sexually transmitted infections are outstanding to trigger solid contrary reactions among the general population. Together with the broad conviction that HIV/AIDS is disgraceful, these pictures speak to 'instant' however off base clarification that gives an intense premise to both shame and segregation. These generalizations additionally cause a few people to deny that they buy are probably going to be contaminated or influenced.

However another issue which needs say here is that, HIV/AIDS is comprehended to be an existence debilitating condition. The finding of positive state and the consequent disclosure of it, along these lines, result in an assortment of feelings and responses in the contaminated, for example, stun, outrage, nervousness, blame, and foreswearing. Outrage might be coordinated at companions, mate, family, doctors, and different guardians. Loss of self-regard, and self - fault are normal. The patient may manhandle liquor and medications. Clashing feelings about trusting and depending on doctors and others may develop. The truth of death might be gone up against. Mental issues encompassing HIV/AIDS may proceed over the span of the disease.

The separation of individuals living with HIV/AIDS emerges in light of the fact that, they are frequently considered as being in charge of tainting others. The good and moral measures lead a few people to trust that having HIV is the consequence of some ethical blame, (for example, wantonness or 'degenerate sex') that should be rebuffed. Alongside, out of detestation, dread and eagerness, they by and large evade

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

individuals living with HIV/AIDS. Such shame and segregation result in more unpredictable issues of covering of the sickness, gloom, despondency, suicides, and so on., in the PLHAs, when they should be bolstered and helped, with the goal that they can acknowledge their condition and figure out how to carry on with a sound life. It is in this way held, the patient's quick social support is a key referee of the impacts of ailment, and of life occasions and capacity. Tainted people with fulfilling and stable social support will be essentially less upset than those with unacceptable or conflicting backing.

In any case, considers demonstrate that the disgrace connected with HIV/AIDS and the separation towards individuals experiencing it exist both in India and on the planet. Despite the fact that these show themselves distinctively crosswise over nations, groups, religious gatherings and people, these happen close by different types of disgrace and segregation, for example, homophobia which is coordinated towards those included in what is considered socially inadmissible hostile to social exercises, for example, prostitution. Individuals with HIV in India often experience segregation while looking for and accepting medicinal services administrations. The shame not just makes it more troublesome for individuals attempting to deal with HIV and to deal with their disease on an individual level; however it likewise meddles with endeavors to battle the AIDS plague in general. On a national level, the disgrace connected with HIV can deflect governments from taking snappy, successful activity against the pestilence, while on an individual level it can make people hesitant to get to HIV testing, treatment, and care. Consequently to handle this issue sufficient learning about this disorder, as well as about individuals' observation and conduct is basic

REFERENCES:

1. Anita Leal-idrogo, Toni Ayres, Ann Auleb, James Glassford, 1997, from Sanfrancisco state University prepared training module 2 on psychosocial impact of HIV/AIDS.
2. Book on National AIDS Control Programme, phase III (2006- 2011) strategy and implementation plan.
3. Gary Remafedi, 1994, Predictors of unprotected intercourse among Gay and Bisexual Youth: knowledge, beliefs and behavior published in Pediatrics Journal, Vol.94 No.2 August 1994 ppl63-168.
4. Ghosh B.N, (1993) Scientific Method and Social Research, Sterling Publishers Private Limited, New Delhi, p-207.
5. Amrapali.M Marchant, 1998, AIDS A problem of social Behaviour. Sardar Patel University Vallabh Vidyanagar
6. Shankar G. Hoskari, 2010, Ph.D. Topic on Psychosocial Correlations of HIV/AIDS Persons in Karnataka, Karnataka University.

Article Indexed in :

DOAJ	Google Scholar	DRJI
BASE	EBSCO	Open J-Gate

Publish Research Article

International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication, you will be pleased to know that our journals are

Associated and Indexed, India

- ★ International Scientific Journal Consortium
- ★ OPEN J-GATE

Associated and Indexed, USA

- EBSCO
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Database
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database
- Directory Of Research Journal Indexing

Golden Research Thoughts
258/34 Raviwar Peth Solapur-413005, Maharashtra
Contact-9595359435
E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com
Website : www.aygrt.isrj.org